

# Lithium Solar All In One Inverter And Battery Stackable 5kwh 10kwh For Residential

UN38.3,MSDS,UL,CB,BIS,PSE,GB4943.1 safety standard, CE, FCC, ROHS, battery UN38.3, MSDS, UL, CB, BIS, PSE

## **Basic Information**

- Place of Origin:
- Brand Name: XWELL
- Certification:
- Model Number: XW-3200W
- Minimum Order Quantity: 1 pcs
- Packaging Details: Carton
- Delivery Time:
- Payment Terms: L/C, D/A, D/P, T/T, Western Union,

7-10 working days

5000 pcs per month

MoneyGram

China

Supply Ability:



## **Product Specification**

• Wave Mode:	Pure Sine Wave Form	
<ul> <li>Working Time:</li> </ul>	6000 Cycles	
Capacity:	100Ah 200Ah	
<ul> <li>Pack Type:</li> </ul>	LiFePO4 Battery Cell Pack	
• Rate Power:	3.2KW	
<ul> <li>Rate Energy:</li> </ul>	5.0Kwh	
<ul> <li>Max Power:</li> </ul>	5.0Kw	
<ul> <li>Pack Voltage Output:</li> </ul>	48V	
Charge Current:	50A	
<ul> <li>Discharge Current:</li> </ul>	100A	
• Highlight:	5kwh all in one inverter battery, all in one inverter battery Stackable, all in one inverter battery 10kwh	

**Our Product Introduction** 

### 5kwh 10kwh Lithium Solar Battery Stackable LiFePO4 All In One Battery Inverter Residential Energy Storage System

The Xwell stacked lithium energy storage battery use long working life LiFeP04 cell, high performance BMS to protect and manage the battery system. The max parallel is 15pcs, free combination for the capacity and meet all kinds of demand for home/industry


### Lifepo4 Battery Pack advantages

- 1. Free combination, Stacked design, More beautiful/convenient
- 2. Max parallel is 15pcs with large capacity
- 3. Move freely with pulley

### Lifepo4 Battery Pack Specification

Battery Parameters			
Model	51.2V100Ah	51.2V200Ah	
Nominal voltage	51.2V		
Nominal capacity (kwh)	5KWh	10KWh	
Cell type	LiFePO4		
Cycle life	>6000 Cycles(80%DOD)		
Charge temperature range	0~65°C		
Discharge temperature range	-20~65°C		
Maximum continuous charge current	50A		
Maximum continuous discharge	100A		
current		-	
Color	Black /White		
Dimension (mm)	710x300x600	710x300x800	
Weight	81Kg	110Kg	
Installation method	Floor type with wheels		
Inverter Parameters			
Rated power	3.2KW		
Peak power	5KW		
Output wave form	Pure sine wave		
Input/Output AC voltage	AC 110V/220V		
Input/Output AC voltage frequency	50Hz/60Hz		

#### Lifepo4 Battery Pack Connection Diagram



### Our service

1. 3 years warranty for solar lights and solar power generation system, 15 years warranty for solar panels.

- 2. Good packaging.
- 3. The main components are matched with 1% accessories.


4. In addition to customer service spare parts, customers need to take photos of damaged parts or confirm test data, and we will send damaged parts or brand new products to consumers. (Consumers who give up the opportunity to cooperate again need to bear the freight by themselves)

5. You are welcome to contact us 24 hours a day.

#### **Company Information**

We are a technological innovation company, mainly engaged in R&D and sales of lithium battery and battery pack technology, focusing on the R&D and manufacturing of new energy storage products.

In the beginning of the company establishment in 2005, we occupied 40% market share in Guangdong Province with single-





# **XWELL** GUANGDONG XWELL TECHNOLOGY CO., LTD.

+86 18620492985 Sales@esslithiumbattery.com
 Room 322, Building 3, No. 801, Qiaoxing Avenue, Xiaoluo Village, Shatou Street, Panyu District, Guangzhou, China